



# VANS

ARB ACCESSORIES RANGE



## 4X4 ACCESSORIES

[arbeurope.com](http://arbeurope.com)

Leveraging almost 50 years experience in the 4x4 accessories manufacturing, ARB is developing products dedicated to vans with the aim of reaching an ever growing clientele.

With already a wide range of touring and camping products available, van owners will be able to take their lives to the next level of convenience and enjoyment, with a little help from ARB.



4X4 ACCESSORIES



# ARB BASE RACK

## FEATURES

- Two piece, fully welded construction for superior strength and rigidity
- Ultra sleek, low-profile design
- Cast aluminium crossbeam formation
- Unique dovetail mounting extrusion offers greater versatility, flexibility and speed in accessory placement and attachment
- Dovetail design means less dirt entrapment (easy cleaning)
- LED light bar, smaller AUX light, awning, lift jack & roller installation possible
- Removable end caps allow access to channel for installing hidden electrical cables for roof lighting and solar
- Guard rail option for safer cargo transport
- Wind deflector option for reduced noise
- Textured black powder-coat finish
- Various fixing points & mount brackets enable you to fix many accessories
- Advanced cable management



**SIDE BEAM**

**MAIN BEAM**



**Part No:** [1780630](#) for 2415 long

**Part No:** [1780640](#) for 2705 long

**Part No:** [1780650](#) for 2995 long

## TRADE RAILS

Great for loading long items such as timber and ladders with an optional roller kit to help glide long or awkward items onto the rack.

## TWO PIECE FULLY WELDED CONSTRUCTION

MAKE	MODEL	YEAR CODE	HEIGHT	LENGTH/WB	RACK SIZE	RACK PART NUMBER	FITTING KIT PART NUMBER
Ford	Transit	13-on	H1,H2,H3	L2, L3, L4	2125×1445 mm	1770100	17929010
Ford	Transit	13-on	H1,H2,H3	L3,L4	2125×1445 mm	1770100	17929020
Ford	Transit	13-on	H1,H2,H3	L3,L4	2705×1445 mm	1770130	17929030A + 17929030B
Ford	Transit Custom/Tourneo	13-on	H1	SWB	2125×1445 mm	1770100	17929040
Ford	Transit Custom/Tourneo	13-on	H1	LWB	1835×1445 mm	1770090	17929050
Ford	Transit Custom/Tourneo	13-on	H1	SWB	2705×1445 mm	1770130	17929060A + 17929060B
Ford	Transit Custom/Tourneo	13-on	H1	LWB	2995×1445 mm	1770140	17929070A + 17929070B
Volkswagen	Crafter	17-on	H1 & H2	All	1545×1445 mm	1770080	17970030
Volkswagen	Crafter	17-on	H1 & H2	All	2125×1445 mm	1770100	17970040
Volkswagen	Crafter	17-on	H1 & H2	L2, L3, L4	2995×1445 mm	1770140	17970050A + 17970050B
Volkswagen	Crafter	06-17	H1 & H2	All	1545×1445 mm	1770080	17965020
Volkswagen	Crafter	06-17	H1 & H2	L2,L3,L4 only	2995×1445 mm	1770140	17965040A + 17965040B
Volkswagen	Crafter	06-17	H1 & H2	All	2125×1445 mm	1770100	17965030
Volkswagen	Transporter T5/T6/T6.1 / Mutlivan/ Caravelle		H1	SWB	2125×1445 mm	1770100	17970060
Volkswagen	Transporter T5/T6/T6.1 / Mutlivan/ Caravelle		H1	SWB	2125×1285 mm	1770040	17970060
Volkswagen	Transporter T5/T6/T6.1 / Mutlivan/ Caravelle		H1	LWB	2125×1445 mm	1770100	17970080
Volkswagen	Transporter T5/T6/T6.1 / Mutlivan/ Caravelle		H1	LWB	2125×1285 mm	1770040	17970080
Volkswagen	Transporter T5/T6/T6.1 / Mutlivan/ Caravelle		H1	SWB	2705×1445 mm	1770130	17970070A + 17970070B
Volkswagen	Transporter T5/T6/T6.1 / Mutlivan/ Caravelle		H1	LWB	2995×1445 mm	1770140	17970090A + 17970090B
Mercedes	Sprinter	06-on	H1 & H2	All	1545×1445 mm	1770080	17965020
Mercedes	Sprinter	06-on	H1 & H2	All	2125×1445 mm	1770100	17965030
Mercedes	Sprinter	06-on	H1 & H2	L2,L3,L4 only	2995×1445 mm	1770140	17965040A + 17965040B
Toyota	HiAce	2019-on	H1	LWB (not SWLB)	1545×1445 mm	1770080	17928010
Toyota	HiAce	2019-on	H1	LWB (not SWLB)	2995×1445 mm	1770140	17928020A + 17928020B

## BASE RACK ACCESSORIES

BASE RACK Accessories contains large scale of different items. More information you can find at next pages.



**Part No:** 1780500  
**ROOF RACK LIGHT BAR**

Unique reflector design, combo beam technology  
EMC, R10, CE and RoHS certified, 130 W



**Part No:** 17900100  
**WIND DEFLECTOR 1455 mm**

2-millimetre press-formed aluminium  
Significantly reduces wind noise associated with roof racks



**Part No:** 1780480  
**LIGHT BAR DOVETAIL MOUNT KIT**

Mount to the dovetail track at any location  
Suitable for mounting small items up to 3.5 kg per pair



**Part No:** 1780520  
**AUXILIARY LIGHT**

The 2.8-inch light is great for lighting up your campsite or workspace. IP69K, 20 W



**Part No:** 1780490  
**LIGHT BAR UNDER MOUNT**

Suitable for mounting small items up to 3.5 kgs per pair  
Suitable for single-bolt, end-mount light bar and work lights



**Part No:** 1780240  
**AWNING BRACKETS (FIXED)**

Allows fitment of ARB's awning range  
Easy to attach to the BASE Rack – simply secure onto the dovetail track on the rack



**BASE RACK**

**Part No:** 1770100




**Part No:** 1780260  
**AWNING BRACKETS (QUICK-RELEASE)**

Quick-release bracket allows your awning to be removed in no time or moved to another position on the vehicle



**Part No:** 1780390  
**HEAVY-DUTY AWNING BRACKET**

Designed to suit 270-degree awnings upto 25kgs  
Integrated eye nut tie-down points



**Part No:** 1780420  
**NARROW BRIDGE PLATE MOUNT**

Ideal for mounting rooftop tents  
Provides a strong, versatile attachment point



With snap lock hooks

**Part No:** 1780385

Y-plate & ratchet, no eyebolt needed

**Part No:** 1780380

**SPARE WHEEL Y-STRAP**

150-kilogram lashing capacity  
Adjustable one-metre straps suit most tyre sizes



»PREMIUM«

**Part No:** 1780280



»REGULAR«

**Part No:** 1780290

**HIGH LIFT JACK HOLDERS**

Allows easy fitment of a Hi-Lift™ Jack to your BASE Rack  
PREMIUM quick release provides easier loading and unloading of jack

# BASE RACK ACCESSORIES



**Part No:** 1780270

### SHOVEL HOLDER

Suitable for 32-42 mm handle diameters, 5 kg weight capacity  
Quick release system is fixed when not in use



**Part No:** 1780250

### GAS BOTTLE HOLDER

Allows easy fitment of a gas bottle to your BASE Rack  
Suits gas bottles between 2 kgs and 9 kgs



Single vertical

**Part No:** 1780320



Double horizontal

**Part No:** 1780350



**Part No:** 1780310

### RECOVERY BOARD HOLDER

Allows easy fitment of recovery tracks onto the BASE Rack  
Suitable for use with ARB TRED Pros and MaxTrax



**Part No:** 1780370

### RATCHET STRAPS

Three-metre by 25-mm polyester webbing  
200-kilogram lashing capacity



Single horizontal

**Part No:** 1780330

### JERRY CAN HOLDER

Allows easy fitment of one or two jerry cans to your BASE Rack \* Mounts horizontally or vertically \* Solid aluminium clamps with forged steel eye nuts, strap included \* Can attach to the dovetail track at any point on the rack



Double vertical

**Part No:** 1780340



**Part No:** 1780360

### ROLLER KIT

Allows easy loading onto your BASE Rack  
Makes long, heavy items easy to load safely onto the roof rack



**Part No:** 1780400 is prewired 6 wires

**Part No:** 1780410 is provision for 6 wires

### WIRING KIT - PREWIRED

Wiring solution to neatly get wiring from inside the vehicle through the vehicle or canopy roof.



**Part No:** 1780210

### SPRING-LOADED TIE-DOWN (PAIR)

Quick attachment and release  
Provides a lashing point for ratchet straps



**Part No:** 1780610


### ALLOY BLOCK SET

Can attach to the dovetail on any location of the BASE Rack  
Supplied as a set of 4 powder-coated aluminium blocks

**Part No:** 1780200

### EYE BOLT TIE-DOWN

## BASE RACK ACCESSORIES




Pair  
**Part No:** 1780230

Single  
**Part No:** 1780220

### T-SLOT ADAPTOR

Allows fitment of accessories from a range of other manufacturers  
Uses a T-slot channel to accept T-slot mounted accessories



**Part No:** 1780430  
**WIDE BRIDGE PLATE**

Suitable for mounting aerials, sand flags, some beacons,  
Rotopax™ and round driving lights



**Part No:** 1780450  
**HORIZONTAL WIDE MOUNT**

Suitable for items up to 6 kgs per bracket  
Provides a strong, versatile horizontal attachment point to BASE Rack



Narrow  
**Part No:** 1780460



Wide  
**Part No:** 1780470

### VERTICAL NARROW MOUNT AND VERTICAL WIDE MOUNT

The narrow mount is suitable for mounting small items up to 3 kgs per bracket  
The wide mount is suitable for mounting up to 6 kgs per bracket



**Part No:** 1780440  
**HORIZONTAL NARROW MOUNT**

Suitable for mounting small items up to 3 kgs per bracket  
Two brackets per kit, includes fasteners for mounting to rack



BASE RACK ACCESSORIES RANGE



FORD TRANSIT CUSTOM

# AIR LOCKER

## AIR LOCKER (REAR)

### FEATURES

- Air Locker locking differentials will enhance the traction of your vehicle in just about any terrain, whether it's rock, clay, gravel, sand, snow or mud
- Increasing the handling & control of your vehicle, reducing chances of vehicle damage
- Reducing tyre wear, easier on the environment
- Replaces the factory internals in the rear differential
- Extremely tough and designed for extended life, far stronger than OE options (whether it be locked or unlocked)
- State-of-the-art two-piece design
- A superior locking mechanism versus all other locking differential competitors means that the Air Locker can be engaged at any speed and smoothly disengaged at the flick of a switch
- Advanced technology designed for heavy duty commercial use provides piece of mind on your off-road adventure
- Increased load capacity – suitable for vehicles with added accessories
- Convenient maintenance can be carried out, if necessary, with a full range of spare parts available
- 5-year warranty

### FITS:

- Mercedes-Benz Sprinter 2006+ with 30 spline Drive shafts LHS A 906 350 3910 and RHS A 906 350 4010.
- VW Crafter 2006-2017

### AIR LOCKER PART NUMBER: RD262

#### RING AND PINION OPTIONS:

PART NUMBER	RING AND PINION OPTIONS
100-023-01	MB SPR.W906 11x46-ring & pinion ratio 4.181 with 12 pcs bolt
100-179-01	MB SPR.W906 11x48-ring & pinion ratio 4.363 with 12 pcs bolt
100-078-01	MB SPR.W906 11x52-ring & pinion ratio 4.727 with 12 pcs bolt
100-180-01	MB SPR.W906 13x48-ring & pinion ratio 3.692 with 12 pcs bolt
100-082-01	MB SPR.W906 13x51-ring & pinion ratio 3.923 with 12 pcs bolt



Part No: RD262

# MODULAR ROLLER DRAWER SYSTEMS

## FEATURES

- Many setup options, completely modular system
- More than 200 possible configurations for many vehicles
- Possible to stack up drawer one on top of other
- Modularity enables you to make easier changes in the future
- Side floor kits
- 3 drawer height options, Roller (sliding) floor option
- Anti-rattle design (for off-road driving), key lockable
- Maximum weight 150 kg per drawer (75 kg for roller floor)

## OPTIONS: ROLLER DRAWER TABLE AND COOLBOX SLIDE INSTALLATION

## INTERNAL DIMENSIONS

SPECS	RF945	RDRF945	RF1045	RD1045	RF1355	RD1355	RFH945	RFH1045	RFH1355	RD1730SM	RDRF1730SM	RDRF790
Complete Length (mm)	860	850	960	950	1271	1255	850	950	1255	1630	1630	660
Complete Width (mm)	420	435	450	465	420	435	420	465	435	440	440	735
Complete Height (mm)	75	220	75	220	75	250	105	105	105	260	260	220

## EXTERNAL DIMENSIONS

SPECS	RF945	RD945	RDRF945	RF1045	RD1045	RDRF1045	RF1355	RD1355	RDRF1355	RFH945	RFH1045	RFH1355	RD1730SM	RDRF1730SM	RDRF790
Complete Length (mm)	945	945	945	1045	1045	1045	1355	1355	1355	945	1045	1355	1730	1730	787
Complete Width (mm)	505	505	505	535	535	353	505	505	505	500	530	500	500	500	838
Complete Height (mm)	140	280	280	140	280	280	310	310	310	190	190	190	320	320	330

## CARGO ORGANISERS



Part No: 10100377 (SMALL)

Part No: 10100378 (MEDIUM)

Part No: 10100379 (LARGE)





# ARB SLIDE KITCHEN

## FEATURES

- Designed to integrate with ARB drawer systems
  - Main stainless surface: maximum weight of 30 kg/\*25 kgs spread evenly on large kitchen
  - Safety: flame out technology & lid close gas shutoff
  - Quick connect, EU approved hose, 2 m with EU approved regulator type EN61 (PS 16 bar, pd = 2 9 mbar)
  - Benchtop & utensils drawer, including 12 L/\* 7 L collapsible silicone sink
- \* Specifications for the smaller slide kitchen (RDKEU1045)  
\*\* Main stainless surface of RDKEU1045 can hold a maximum weight of 10 kg open



Part No: RDKEU1045



Part No: RDKEU1355

## DIMENSIONS:

Part No: RDKEU1355

KITCHEN VERSION	RDKEU1355 (LARGE)	RDKEU1045 (SMALL)
Exterior	1355 mm (l) × 500 mm (w) × 310 mm (h)	1045 mm (l) × 530 mm (w) × 280 mm (h)
Interior	1250 mm (l) × 485 mm (w) × 190 mm (h)	
Benchtop	1250 mm (l) × 485 mm (w)	
Internal small drawer	450 mm (d) × 345 mm (w) × 145 mm (h)	290 mm (w) × 450 mm (l) × 110 mm (h)
Optional replacement drawer	1255 mm (l) × 490 mm (w) × 230 mm (h) – PN RDK1355DR	1210 mm (d) × 445 mm (w) × 145mm (h) – PN RDK1045DR
Stainless top dimensions total		930 mm (l) × 505 mm (w)
Small stainless section		505 (W) × 325 mm (L)
Large stainless section		505 (W) × 605 mm (L)



Part No: 10100392

### KITCHEN BAG

Fits inside Slide Kitchen between the cooker and the drawer  
45 × 15 × 15 cm in size



Part No: RDK1355DR

### RDK1355DR & RDK1045DR

Convert your slide kitchen into drawer - special Slide Kitchen drawer replacements

## ROOFTOP TENTS



### ESPERANCE ROOFTOP TENT

#### – FEATURES

- Hardshell tent (ABS shell)
- Gas strut assisted opening
- Internal & external LED lighting
- Fabric of main tent: PU300mm. UV50+
- PU- silver plating, poly-cotton canvas, 200 GSM, flame resistant
- Fabric of rain cover: PU300mm. UV50+ PU- silver plating, oxford
- 2 side windows, 1 stargazing window & 1 entrance window
- **Weight:** 58 kg

#### DIMENSIONS:

CLOSED	1500 mm (w) × 1235 mm (l) × 300 mm (h)
OPEN	1500 mm (w) × 2700 mm (l) × 1180 mm (h)
MATTRESS	2000 mm (l) × 1350 mm (w) × 40 mm (h) (2 adults & 1 child)

**Part No:** 802200



Annexe (not included) provides additional living space, privacy, protection and extra sleeping space.

**Part No:** 804200

### FLINDERS ROOFTOP TENT - FEATURES

- Low profile when packed
- Simple setup & pack-up
- Aluminium sliding ladder – 120 kg rating
- 3 + 1 × door entry, 1 × skylight & 1 all-weather ventilation port
- Internal curved telescopic poles for easy setup
- Midge proof mesh on widows
- Internal 300 lumen LED lamp with 2× USB sockets
- Canvas: 300 gsm poly cotton rip-stop canvas & 420D oxford polyester fly for sunroof & window
- Outer grey cover: 600 gsm heavy duty PVC cover and no need to remove cover
- ABS laminated and insulated aluminium internal frame
- **Weight:** approx. 58 kg (dry) (54 kg + 4 kg ladder)

#### DIMENSIONS:

PACKED	1400 mm (l) × 1200 mm (w) × 200 mm (h) (300 mm with ladder)
OPEN	1400 mm (l) × 2400 mm (w) × 1400 mm (h)
MATTRESS	50 mm (1.96") high density foam



**Part No:** 803300

### SIMPSON III ROOFTOP TENT – FEATURES

- Softshell tent
- Comes with included annexe & aluminium ladder
- Midge proof mesh on widows
- Shoe pockets
- 300gsm poly/cotton canvas shell
- 300D oxford polyester flysheet PU coated– 1000mm water head
- Super strong aluminium base with foam insulation covered with ABS wrapping
- 25mm × 1.2mm super strong anodised aluminium pole
- 4mm thick steel braced hinges for superior strength
- 900gsm PVC UV treated cover with welded joints
- Bedding can be stored inside when folded up
- Optional 300 lumen internal light (with 25mm tubing) with 2× USB port
- **Weight:** approx. 80 kg (dry, annexe & ladder)

#### DIMENSIONS:

CLOSED	1400 mm (w) × 1200 (l) × 300 (h)
OPEN	1400 mm (w) × 2400 (l) × 1300 mm (h)
MATTRESS	high density 65mm foam mattress (with removable cover)



**Part No:** 803103

# ELECTRIC COOLBOXES

## ZERO ELECTRIC COOLBOX – FEATURES

- Recessed carry handles and tie-down points
- Side opening lid for 60 L, 69 L and 96 L
- Digital display for each zone
- App connectivity via Bluetooth
- Quick-release detachable lid
- Internal LED light
- Dual independently controlled cooling zones (dual zone models only)
- Versatile removable internal basket system
- Highly efficient, variable speed compressor with boost rapid cooldown
- Provision for tall items/bottles
- USB 5 V, 3,000 mA outlet
- Power supply dual front and rear DC (12/24 V) and front AC (110 V) with battery protection



“Free-Cooler-App”



## DIMENSIONS:

ZONES	VOL.	PART NUMBER	WEIGHT	EXTERNAL DIMENSION	CONSUMPTION
SINGLE	36 L	10802363	22.2 kg	675 mm (l) × 423 mm (w) × 436 (h)	0.8 Ah*
SINGLE	44 L	10802443	21.6 kg	675 mm(l) × 423 mm (w) × 496 mm (h)	0.8 Ah*
SINGLE	60 L	10802603	24.6 kg	755 mm (l) × 469 mm (w) × 496 mm (h)	0.8 Ah*
DUAL	69 L	10802693	28.3 kg	755 mm (l) × 469 mm (w) × 564 mm (h)	2.9 Ah*
DUAL	96 L	10802963	32.9 kg	935 mm (l) × 548 mm (w) × 509 mm (h)	3.1 Ah*

\* DC12V set at 5 °C, 32 °C ambient temperature

## ACCESSORIES: Transit Bags

- Part No: 1090055-36L
- Part No: 1090051-44L
- Part No: 1090052-60L
- Part No: 1090053-69L



Part No: 1090054-96L



Part No: 10802363



Part No: 10802443



Part No: 10802693



Part No: 10802603



Part No: 10802963

## ELECTRIC COOLBOXES

### ELEMENTS ELECTRIC COOLBOX – FEATURES

- Stainless steel exterior, anodised aluminium latches, UV-resistant trim
- Suitable for extreme conditions
- Front opening lid
- Innovative strut holds the lid open in any position
- **Touchpad control panel:** backlit, weatherproof, pin code protected
- Unique magnetic lock prevents unauthorised access or tampering with settings
- Built-in padlock recess for additional security
- Reversible basket with removable divider
- Slimline LED rear facing interior light
- Increased coolbox cabinet insulation thickness
- Built-in 12/24V DC / 100-240V AC power
- **Cooling capacity:** -18°C to + 10°C



**Part No:** 10810603

VOL.	PART NUMBER	WEIGHT	EXTERNAL DIMENSION	CONSUMPTION
60L	10810603	31.8 kg	440 mm (h) × 490 mm (w) × 820 mm (d)	0.89 Ah*

\* Average power consumption tested at 12V DCC.

### CLASSIC SERIES II ELECTRIC COOLBOX – FEATURES

- Tough steel outer casing (powder-coated, robust zinc steel cabinet)
- **Control panel:** backlit, dimmable LED temperature display, buttons illuminate upon touch
- Separate compartment for fruit & dairy products
- Internal LED light with magnetic switch
- Built-in 12/24 V DC / 100-240 V AC power, integrated battery protection system
- Module wireless monitoring & control via compatible Bluetooth-enabled devices (Cooler Connect App, LINX)
- **Cooling capacity:** -18°C to + 10°C



**Part No:** 10801473

VOL.	PART NUMBER	WEIGHT	EXTERNAL DIMENSION	CONSUMPTION
35L	10801353	20.7 kg	428 mm (h) × 380 mm (w) × 705 mm (d)	0.85 Ah*
47L	10801473	21.6 kg	508 mm (h) × 380 mm (w) × 705 mm (d)	0.85 Ah*

\* Average power consumption tested at 3 °C cabinet temperature, 26 °C - 31 °C ambient temperature range, test duration of 66 hours and supply voltage of 12 V DCC.

## ACCESSORIES



**Part No:** 10900047 (ZERO 36/44)

**Part No:** 10900048 (ZERO 60/69)

**Part No:** 10900040 (ELEMENTS)

**Part No:** 10900021 (CLASSIC 35/47)

### COOLBOX SLIDE



**Part No:** 1900049

### PORTABLE BATTERY PACK

The 15Ah lithium battery is capable of keeping the coolbox cold for up to 18 hours



**Part No:** 10900027

### COOLBOX WIRING KIT

Consisting of 6 m of 6 mm gauge auto cable, preassembled with in-line fuse and 8 mm eyelets



**Part No:** CABRUN

### ARB CABLE GUIDE

Stops your coolbox cables getting jammed in your drawer runners



**Part No:** 10900046 (ZERO)



**Part No:** 10900038 (ELEMENTS)



**Part No:** 10900010 (CLASSIC)

### TIE DOWN KIT

For semi-permanent or temporary securing of the ARB Coolboxes - special tie down system has been designed



**Part No:** LK01A

### TRACK AND LOAD RING SET (PAIR)

Special loading with rail for Tie Down Kits

# AWNINGS & ACCESSORIES

## FEATURES

- Self-standing, takes 30 seconds to set up
- Awning height adjustable with telescopic legs
- 300GSM PU coated poly/cotton rip stop canvas, waterproof and UV protected
- Comes in a PVC bag or powder coated aluminium case with ARB TOURING logo
- Durable protection and anti wear points – sets all ARB awnings above the competition
- Included dual colour lighting options with dimming control
- Matched aluminium poles, with nylon cuff joins



Part No: 814412



Part No: 814408



Part No: 814300

Part No: 814406

Part No: 814407

AWNING SIZE	PART NUMBER	HOUSING	LIGHT	WEIGHT
1250 mm x 2100 mm	814300	Heavy duty PVC	Not included	6 kg
2000 mm x 2500 mm	814406	Heavy duty PVC	Installed	13.2 kg
2500 mm x 2500 mm	814407	Heavy duty PVC	Installed	14.8 kg
2500 mm x 2500 mm	814408	ALUMINIUM (SILVER)	Installed	17.2 kg
2500 mm x 2500 mm	814412	ALUMINIUM (BLACK)	Installed	16 kg
3000 mm x 2500 mm	814415	ALUMINIUM (BLACK)	Installed	19.5 kg

ALCOVE	PART NUMBER	WEIGHT
2 meters	813209	3.5 kg
2.5 meters	813109	3.5 kg

## DELUXE AWNING ALCOVE – 2m AND 2,5m

Expanding ARB Touring's extensive lineup of premium camping & remote area travel accessories is the all-new Deluxe Awning Alcove.

Grounded on the desire from modern day campers for increased comfort and convenience, the Deluxe Awning Alcove provides a practical solution to protect you from the elements, in many applications and environments. Whether it's an enclosed shelter for your swag, etc.



Part No: 813109 & 813209



## DELUXE AWNING ALCOVE – 2000 AND 2500

- Rear wall can be unzipped to provide access to the vehicle rear door or canopy side window
- Mesh pocket removable ladder organiser
- Two zippered ports located in the top corners for power cable access
- Power cord guides in roof corners keep cables and wires tidy and safe
- Can accommodate awning heights from 1.9m to 2.1m from ground level
- Cross flow ventilated mesh roof
- Fine midge-proof mesh side panels
- Nylon stuff sack, 2 guy ropes and 6 pegs included



Part No: 813108-2500x2500

Part No: 813108-2000x2500

Part No: 813110-3000x2500

## WIND BREAK

- Designed to angle out from ARB touring awnings, wind breaks offer additional protection from the wind and rain or extra shade and sun protection
- Manufactured from lightweight PU coated 300gsm poly cotton canvas

PART NUMBER	DESCRIPTION
813400	WIND BREAK SIDE
813102	WIND BREAK-FRONT 2500 mm
813202	WIND BREAK-FRONT 2000 mm
813300	WIND BREAK-FRONT 1250 mm



# CAMPING ACCESSORIES



**Part No:** 10500101 **Part No:** 10500111  
**CAMPING CHAIR**

Comfortable seats that are stylish and available in two styles,  
• Side pocket with Velcro flap for keys, rated 150 kgs



**Part No:** 10500131  
**COMPACT DIRECTORS CHAIR**

Unique folding mechanism that folds all the arms and legs together  
Compact square shape, high back for added support to the user  
Durable 420D rip stop material for chair fabric



**Part No:** 10500130  
**CAMPING TABLE**

Unique table pins to keep the table sturdy, which can hold up to 30 kgs.  
Comes with 600-denier PVC back nylon carry bag for storage



**Part No:** 10500200  
**FIRE PIT**

The campfire – it's a staple piece of almost every camping set-up  
Set up dimensions : 600mm (l) x 496mm (w) x 300mm (h)



Single  
**Part No:** SDS102



Double  
**Part No:** SDS200  
**SWAGS**



**Part No:** 10500140  
**STRETCHER**

600D Nylon padded top, provides comfort and support,  
Heavy duty steel frame, supports 150 kgs



**Part No:** 10500095  
**JUMP STARTER**

Perfect for a camping, family vehicle, boat, motorcycle, used car yard, the lithium powered Jump Starter has plenty of power to start a 12 V.



**Part No:** 10500073  
**FLASH LIGHT**



**Part No:** 10500080  
**WORK LIGHT**



**Part No:** 10500085  
**AREA LIGHT**

**HORIZON LIGHTS**

Personal lights, which are perfect for your camping with Li-Ion battery and CE, FCC, RCM, RoHS, BC & PROP 65 approved

### STORMPROOF BAGS



**Part No:** 10100377 (SMALL)



**Part No:** 10100378 (MEDIUM)



**Part No:** 10100379 (LARGE)



**Part No:** ARB4210  
**HANGING ORGANISER**

Grounded on the growing need to convenient storage and organisation during your remote camping area travels



**Part No:** ARB4345  
**CAMP KITCHEN ORGANISER**

Easy clean PVC shell, multiple utensil sleeves, sturdy handle  
3 mounting options (eyelets, hook loop strap & sail track)

## ARB DRIVING LIGHTS & BAR



Part No: ARBVX17B

### ARB INTENSITY IQ

All in one light - multiple light control, which includes: driving light, work light, courtesy light, light fading function. Fully E-mark approved.



Part No: SJB36F

Part No: SBJ21F

Part No: SJB36S

Part No: SBJ21F

### ARB INTENSITY SOLIS

Flood and Spot ARB LED lights with variable light output selection: 5 %, 25 %, 50 %, 75 % and 100 %.



Part No: SJB21EUX2

### ARB INTENSITY SOLIS 21 EU SPEC

Unique LED lights with EU driving light R149 CE certification and offroad high beam capability at one light with special switch.



Part No: AR40CV2

### ARB INTENSITY LIGHT BAR

Hi-beam combo LED bar with long distance and peripheral illumination setup.



Part No: See table below

Part No: NHW20VLI

### BUSHRANGER NIGHT HAWK LED VLI BARS

VLI -Variable Light Intensity LED bars -large range of LED bars from 5.5" upto 51". High output Osram LEDs, versatile installation. Extruded 6061 body.

## BUSHRANGER DRIVING LIGHTS & BARS



Part No: NHX180VLI

Part No: NHX230VLI

### NIGHT HAWK VLI SERIES LED DRIVING LIGHT

VLI - Variable Light Intensity - you can choose from 7 brightness settings and light the way ahead.

Part No: NHX230VBP

Part No: NHX230VCT

### NIGHT HAWK VPB & VCT SERIES

VPB - Variable Beam Pattern - flood and spot changes at one light  
VCT - Variable Colour Temperature - from 3 000K to 6 000K colour temperature change

PART NO.	POWER	LED QTY	LUMENS	WEIGHT (KG)	OVERALL LENGTH (L) mm
NHT055VLI	13 W	3	910	0,5	141
NHT130VLI	39 W	9	2750	1,1	333
NHT170VLI	52 W	12	3670	1,35	429
NHT205VLI	63 W	15	4590	1,6	525
NHT245VLI	78 W	18	5510	1,85	621
NHT280VLI	90 W	21	6420	2,1	717
NHT320VLI	102 W	24	7340	2,35	813
NHT395VLI	129 W	30	9180	3	1005
NHT435VLI	141 W	33	10100	3,25	1101
NHT510VLI	170 W	39	11940	3,75	1292

# AIR SYSTEMS

ARB offers a full Air System solution, including a large array of compressed air equipment and accessories.



Part No: CKSA12

## ARB ON-BOARD AIR COMPRESSORS

ARB on-board compressor line include three different sizes - small, medium and twin. Medium and twin have 12 V and 24 V options.



Part No: CKMA12

Part No: CKMA24



Part No: CKMTA12

Part No: CKMTA24



Part No: CKMTP12

Part No: CKMTP24

## ARB PORTABLE AIR COMPRESSORS

ARB portable compressors are very popular especially for camping and outdoor applications.



AIR SYSTEM SETUP IN THE VEHICLE



Part No: 171507

## ALU AIR TANK

ARB own built air tank for all Air System application.



Part No: 501010

## BRACKET COMPRESSOR UNI

Universal bracket to help ARB compressor fitting to the various vehicles.



Part No: 3501050

## UNI SWITCH COUPLING BRACKET

Bracket for compressor switch and easy drawers side kit connection mounting.



Part No: 171302V2

## ARB PUMP-UP KIT

High-temperature air hose with US standard fittings, 7 m



Part No: 171503

## MANIFOLD KIT

Is used with LINX pressure control unit.



Part No: 0740201 - 0740206

## HOSE REINFORCED JIC-04

740201	JIC-04 0.3M 1PK	740204	JIC-04 1.5M 1PK
740202	JIC-04 0.5M 1PK	740205	JIC-04 2M 1PK
740203	JIC-04 1M 1PK	740206	JIC-04 3M 1PK



Part No: ARB601

## TYRE INFLATOR DIGI

Inflate, deflate & measure, Accuracy to +/-1psi @ 25-75 psi



Part No: ARB605A

## TYRE INFLATOR

Inflate, deflate & measure,



Part No: ARB505

## E-Z DEFLATOR PSI

Deflator allows for removal of the valve core for rapid tire deflation



Part No: ARB510

## E-Z DEFLATOR DIGI

ARB E-Z Deflator Digital Gauge makes tyre deflation even easier thanks to accuracy of up to +/-1 psi @ 15-75 psi



Part No: ARB506

## AIR PRESSURE GAUGE PSI/BAR

Especially designed for PSI tyre measurements/ adjustments.



Part No: ARB606

## INFLATOR WAND PUSH-ON

Designed for applications where along reach chuck at special wheels and rims.



Part No: ARB4297

## INFLATOR CASE BLACK SERIES II

Special transport case to carry all Air System accessories.



Part No: 0830001

## PRESSURE CONTROL

Control your tire pressure via your cell phone app with pressure control regulator.



# RECOVERY EQUIPMENT

When your vehicle's caught in a torrential downpour on a steep mountain track, stuck in knee deep mud or bogged in an isolated desert in sweltering temperatures, the reliability, performance and durability of your recovery gear is paramount.



**Part No:** ARB705 (8.000 kg)  
**Part No:** ARB710 (11.000 kg)  
**Part No:** ARB715 (15.000 kg)

## RECOVERY STRAP

Snatch straps are similar to a tow rope but is designed to stretch under load for increased performance and safety



**Part No:** ARB720 (4.500 kg)  
**Part No:** ARB725 (8.000 kg)

## WINCH EXTENSION STRAP

Winch extension strap is a lightweight nonstretch strap that is perfect for extending the length of your winch's cable



**Part No:** ARB730 (3 m)  
**Part No:** ARB735 (5 m)

## TREE TRUNK PROTECTOR

When using a tree as an anchor point in a recovery situation, wrapping a cable, rope or chain around it causes damage to both your equipment and the tree



**Part No:** RK9A  
**PREMIUM RECOVERY KIT**

Includes: snatch strap, tree truck protector, winch extension strap, recovery dumper, gloves, shackles and snatch block. CE



**Part No:** RK11A  
**ESSENTIALS RECOVERY KIT**

Includes: snatch strap, tree truck protector, gloves, shackles and snatch block. CE



**Part No:** RK12A  
**WEEKENDER RECOVERY KIT**

Includes: snatch strap, gloves, shackles and snatch block. CE



**Part No:** TREDPROBB  
**TRED RECOVERY BOARDS**

Specially designed for when you find yourself stuck off the beaten track without any help in sight – TRED Pro is the ultimate recovery device to get you out of trouble when traction is lost in even the toughest of conditions; whether it be in sand, mud or even snow.



**Part No:** TREDPROMGO



**Part No:** GLOVEMX  
**ARB RECOVERY GLOVES**

These gloves use high quality synthetic materials to reduce abrasion and wear, as well as increase comfort on your hand.



**Part No:** ARB2018  
**SOFT CONNECT SHACKLES**

To securely connect your recovery gear together - 14.5 T rated. CE.



**Part No:** 72X10  
**BUSHRANGER X JACK**

The patented two-way inflation system can utilise exhaust or a portable air compressor inflation which provides added control in rate and extent of lift required. CE.



**Part No:** RWR100S  
**Part No:** RWR120S  
**REVO WINCH SYNTHETIC**

Premium Motor design, Clock-able motor housing, Multi-mount control box, No-lift clutch, CE, IP67



**Part No:** 10100020A  
**SNATCH BLOCK ULTRA LIGHT**

ARB snatch blocks feature side plates that sit snug against the pulley, eliminating the possibility of the winch cable becoming trapped in between.



**Part No:** TGTLLVLPKRD  
**TRED GT LEVELLING PACK**

TRED GT Levelling pack has been designed to safely and easily level your caravan, motorhome or trailer.